

NUFORKLIFT

CAPACITY

2.5
TON

F SERIES

COMPACT ROUGH TERRAIN FORKLIFT

2WD & 4WD | CAPACITY 2.5 TON

Built for toughness and performance, the NUFORKLIFT F Series delivers exceptional power, stability, and efficiency in the most demanding terrains and applications.



BUILT TOUGH

Durable design and high ground clearance for the toughest conditions.



POWERFUL PERFORMANCE

Strong engine and advanced hydraulics deliver superior lifting and traction.



OPERATOR COMFORT

Ergonomic controls and spacious cabin reduce fatigue and increase



2WD & 4WD | CAPACITY 5,500 LB

NU

BUILT STRONG. WORKS ANYWHERE.

Anchorage, AK 99516

sales@nuforklift.com




www.nuforklift.com

SAFETY & RELIABILITY

Designed to protect the operator and ensure dependable performance in any environment.

High ground clearance offers excellent stability and capability on uneven terrain.



SUSPENSION SEAT
with seat belt (OPS certified).



EMERGENCY DISCONNECT SWITCH quickly cuts off power in critical situations.




ELECTRONIC PARKING BRAKE with one-button operation for safety and convenience.



LED FRONT & REAR WORKING LIGHTS for clear visibility in low light conditions.




MULTI-FUNCTION INSTRUMENT PANEL provides key machine information at a glance.




LOCKABLE DISCONNECT SWITCH prevents unauthorized use and maintenance risks.




REAR COMBINATION LIGHTS for driving, braking, and turning signals.



REAR HORN GUARD enhances safety and durability.



TIE-DOWN HOOKS for secure transport and tie-down.




OFF-ROAD WIDE BASE TIRES provide excellent grip and stability.

HIGH PERFORMANCE

Power you can count on.

Equipped with a proven engine that meets EPA emission standards, the F Series delivers strong power, excellent torque, and exceptional efficiency.



2WD & 4WD MODES
Selectable drive modes for enhanced traction and flexible operation in all conditions.



STRONG GRADEABILITY
Climb grades up to 50% for maximum productivity on rough terrain.



HYDROSTATIC TRANSMISSION

The combination of a Danfoss pump and Poclain motor provides smooth, responsive operation. Automatic traction control adjusts to the terrain for optimal performance, while the load-sensing steering system enhances efficiency and ease of operation.

SUPERIOR **ERGONOMICS**

Wide-view mast and wide-angle rearview mirror provide excellent visibility.



- File folder behind seat for convenient storage.
- Adjustable steering column and comfortable controls reduce operator fatigue.

FULLY SUSPENDED CABIN



Reduces vibration and shock, providing a smoother, more comfortable driving experience.



ADJUSTABLE SUSPENSION SEAT



Adjustable to operator weight to reduce vibration and increase comfort during long shifts.



EASY **MAINTENANCE**



FORWARD-TILTING OVERHEAD GUARD (OPTION)

Provides easy access to the engine compartment for quick and efficient maintenance and inspections.



90° FOLDING SEAT BACKREST

Facilitates easy access to components for routine maintenance.

MULTIPLE-SITE **APPLICATION**



Powerful off-road performance handles construction, agriculture, forestry, and outdoor applications with ease.



Compact and flexible design excels in warehouses, stations, factories, and other confined work areas.

NUFORKLIFT F SERIES 2WD / 4WD COMPACT ROUGH TERRAIN FORKLIFT

MAIN SPECIFICATIONS - IMPERIAL

Rated load capacity	5,512 lb
Load center	19.7 in
Free lift height	34.9 in
Rated lift height	133.9 in
Mast lowered height	77.2 in
Mast extended height	175.5 in
Overhead guard height	78.3 in
Overall length	163.8 in
Length to face of forks	121.7 in
Overall width	45.3 in
Fork size (L x W x T)	42.1 x 4.8 x 1.6 in
Fork carriage width	47.2 in

Ground clearance below mast	11.8 in
Ground clearance at wheelbase	12.2 in
Turning radius	133.1 in
Travel speed - full load	11.8 mph
Travel speed - no load	13.0 mph
Wheelbase	74.8 in
Total weight	9,326 lb
Engine power	58 / 65 hp
Operating pressure	2,683 psi
Fuel tank capacity	13.2 gal
Maximum gradeability	50%
Transmission	Hydrostatic